

FALKLAND ISLANDS

CUS/32/3

SHI/CAP/2#7

CUS 32/3

SECRETARIAT

# SECRETARIAT

CAPE PEMBROKE LIGHT

STORES

## ARCHIVE

File Opened 11-4-72 Closed 1-9-76

AS	12/1	Dep	8/5	Dep	31/2	Dep	15/1	AS	9/5	Bu	4/2	PA	17/10	Dep	17/10	Dep	17/10	Dep	17/10	
Dep	4/9	AS	12/1	AS	7/5	DCS	21/8	AS	17/1	Dep	15	PA	17/10	Dep	17/10	Dep	17/10	Dep	17/10	
AS	6/1	Dep	12/1	Dep	9/5	PA	14/10	PA	CS	10/15	PA	7/10	DCS	707	17/10	Dep	17/10	Dep	17/10	
PA	4/10	AS	12/1	AS	9/5	DCS	17/10	AS	1/2	PA	DCS	?	HM	15	DCS	1787	1788	1789	1790	
AS	4/10	Dep	12/1	PA	24/10	Dep	17/10	Dep	11/2	DCS	1/10	Bu	PA	16	17/10	PA	1791	1792	1793	
Dep	12/1	DCS	4/7	DCS	27/10	AS	21/2	PA	4/7	Dep	PA	DCS	27/10	DCS	1794	1795	1796	1797	1798	
AS	12/1	Dep	3/7	AS	4/10	Dep	12/2	CS	11/7	Bu	27	PA	1799	HM	1800	1801	1802	1803	1804	
AS	12/1	CS	5/7	Dep	21/10	AS	12/2	AS	12/7	DCS	20/1	PA	1805	DCS	21	1806	1807	1808	1809	1810
AS	12/1	Dep	4/7	AS	30/10	Bu	CS	13/7	Bu	PA	1811	DCS	1812	DCS	22	1813	1814	1815	1816	1817
AS	12/1	DCS	4/7	PA	8/11	AS	21/2	Dep	19/7	DCS	21/2	CS	1818	DCS	23	1819	1820	1821	1822	1823
AS	12/1	PA	12/7	DCS	8/11	Dep	22/2	CS	19/7	PA	CS	17	1824	DCS	24	1825	1826	1827	1828	1829
AS	12/1	DCS	13/7	Dep	9/11	CS	4/2	Dep	20/1	DCS	18	1830	DCS	25	1831	1832	1833	1834	1835	1836
AS	12/1	Dep	13/7	DCS	9/11	PA	6/2	CS	20/1	DCS	18/3	HM	17	1837	DCS	26	1838	1839	1840	1841
AS	12/1	AS	8/4	DCS	12/1	Dep	12/1	AS	4/3	PA	31/7	14/10	14/13	DCS	27	1842	1843	1844	1845	1846
AS	12/1	Dep	10/7	DCS	4/11	Dep	13/3	CS	31/7	Dep	183	DCS	1847	DCS	28	1848	1849	1850	1851	1852
AS	12/1	DCS	4/7	Dep	13/11	AS	7/5	1/2	PA	PA	DCS	29	1853	DCS	29	1854	1855	1856	1857	1858
AS	12/1	PA	17/4	PA	19/5	PA	8/12	Dep	14/3	CS	118	DCS	1859	DCS	30	1860	1861	1862	1863	1864
AS	12/1	AS	17/4	DCS	14/5	AS	13/12	AS	14/3	Bu	11	DCS	1865	DCS	31	1866	1867	1868	1869	1870
AS	12/1	Dep	18/4	Dep	18/8	Dep	18/12	PA	20/3	PA	DCS	12	1871	DCS	32	1872	1873	1874	1875	1876
AS	12/1	AS	19/4	DCS	15/8	AS	19/12	CS	21/3	PA	DCS	20	1877	DCS	33	1878	1879	1880	1881	1882
AS	12/1	Dep	10/9	Dep	17/7	Dep	11/12	Dep	5/4	PA	21/10	DCS	1883	DCS	34	1884	1885	1886	1887	1888
AS	12/1	AS	21/4	DCS	14/5	AS	17/12	AS	5/4	Bu	29/10	PA	DCS	21	1889	1890	1891	1892	1893	1894
AS	12/1	Dep	21/1	Bu	21/8	PA	11/1	Dep	2/10	CS	30/10	PA	1895	DCS	35	1896	1897	1898	1899	1900
AS	12/1	DCS	21/4	DCS	14/1	AS	9/4	Bu	8/11	PA	DCS	14	1901	DCS	36	1902	1903	1904	1905	1906

Row 11 dead with 660

4/10

C.S.

2

Have posted letter + report from 660

19.10.72.

Typist,

3

Letter as p 676 forwarding Report 12-pl.

14.12.72.

~~Bu 28.5.73~~

~~(Kiv. lth. quantity samples - see 701A)~~

Ag. A/S Row 4

Please advise H.M. of p 733.

~~Bu 21.5.74~~  
~~(r. to 722)~~

11.7.74.

(5)

Ag. A/S

Letter seen today.

6.

Ag. A/S.

Please inform H.M. of p. 736. Have the items yet been received?

31.7.74.

No 1/8/74

Bu 11.74  
~~27.10.74~~ (x) on 736

8.

Pelica

(736) Have these items been received pl?  
If so, have a copy of the order at (736H)  
signed for amount transmitted.

*[Signature]*  
11.11.74

9

HS No the items have not been received yet.

*[Signature]*  
11.11.74

Bu: 4/12/74  
8/12/74  
Bu 20/1/75 (8)  
*[Signature]*  
Bu 20/1/75 (8)

10

CS

748 These items have been received and  
no doubt the PK will forward a report to  
the Dept of Trade informing <sup>clear</sup> of their receipt.

*[Signature]*  
18/3

Pa

OIC Ag Dept

11

Pa

To note (753) pl

*[Signature]*  
27/3

12

DCS

Noted by *[Signature]* O.I.C Ag Dept  
1/4/75

Hm

13

(736) pl advise *[Signature]* 22/4

14  
DCS

Please see 75/4. *[Signature]*  
HM.

Pa

15.

Hm

To note 767-769

2/17/6

DCS

16

Noted by [signature] 12/6/75

CS

17

sa

Would you like this BLO  
now? UES 17/7

18

Carolyn

[signature]

I await a reply to my letter, but show to Harbourmaster.

[signature]  
CS  
23.7.75

19

DCS

(784)

h. shd have letter referred to pt?

5/28/9

20

Registry

19. Pl trace correspondence.

[signature]  
29/9

21

DCS

Please see (784) \* + it  
refers to WS/32/1 - attached

UPD 30/9

22

DCS

The confusion arises from the use of the  
word 'General' in the title of WS/32/1. Pl.

audit legitimacy accordingly & follow up  
784 wh. / have not acknowledged.

SM  
5/6/10

23

### Registry

Pl note that files should not be used with 'General' as part of the subject.

2. Pl pass file to HM to give a situation report on (784)

X/

DCS.

HM 7/10

Of this fact I am only too well aware. CPD - 7/10.

24.

HM.

please see

(22)

(23)

2 X/

CPD 7/10

D.C.S.

25

767 These items have not been received as yet, but I believe they are at the Amelara.

for  
JWH 8/10

26

BM

PA

DCS

(791)

all items now received

for  
6/11/10

27

HM

x/ of (795) please advise.

DBH  
27/11

28

DCS

x/ of (795) confirmed

f  
28/11/75

29

Mr. King

Pl. deal with all correspondence of (779).

B/12

30

ofic Agric. Off.

Could you pl. provide details as requested in  
x/ of 778 - x/ of 775 please?

f

4.12.75

31

DCS

x/ 795 see 28 ~~x/ 795~~ Ref my

26 the PK CPL now informs me that all  
the items as (791) were received (with the  
exceptions of the compound and guns.)

x/ 778 purchase of a deepfreeze. I  
will minute as this as soon as I have  
all the necessary details from the PK

f  
HM 2/12/75

Received but  
was sent to PSD  
Now recovered from  
PSD and will be  
forwarded to [unclear]  
for

Harbournmaster

Will you please reply to 795 and other outstanding correspondence with Trinity House and/or the Department of Trade. Will you also please follow up, by letter, 779.



CS  
16.12.75

*cs.* <sup>33</sup> *Thurston. P.A.*

795 <sup>and</sup> ~~and~~ other outstanding correspondence dealt with. *HM* 24/12

DUPLICATE

SUBJECT Oil Received  
(one only)

Station Cape Pembroke LT HO,

District Port Stanley, Falkland

Date January 22 1922

Sir,

I beg to submit the following report:—

The following  
Oil have been received in  
good condition

2520 gallons paraffin  
145 " Diesel.  
5 " methylated spirits.

I am  
Sir  
your obedient servant

Gulmise  
Officer in charge.

The Superintendent,  
Port of Stanley District.

—The original and duplicate of this report are to be submitted to the Superintendent who  
in the Duplicate and forward the Original under cover of an official letter to the Secretary,  
House, Tower Hill, London, E.C.3.



DUPLICATE

SUBJECT \_\_\_\_\_  
(no only)

Station London I.T.F.  
District ...  
Date ... 19 ...

I,

I beg to submit the following report:—

The following paints  
are available for the station:

- 12 gallons black undercoat for iron
- 4 " " " " "
- 4 " " dark stone " "
- 4 " " white glass " "
- 4 " " black " "
- 6 of. 10's wood

*[Handwritten signature]*  
Your obedient servant.

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

\_\_\_\_\_  
District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

**SUBJECT**  
(one only)

**Station**

**District**

**Date**

19

Sir,

I beg to submit the following report:—

The following specimens requested for the road engine P.M. 11210988.

- 1 set piston rings 0.20" g/s.
- 1 bearing large and bottom 0.30" u/s.
- 1 " " " " top 0.30" u/s.
- 2 " main u/s.
- 3 inspector muzzles.

Yours

your obedient

Officer

To the Superintendent,

District

The original and duplicate of report are in the Duplicate and Original House, Tower Hill

SUBJECT (one only)

Station

District

Date

19

Sir,

I beg to submit the following report:—

That the following items were found:

- 14 metal nails, 36 pins, 24 Tacks, 6 steel wires,
- 6 screws, 2 lbs solder, 6 pillow cases, 3 pair shirts,
- 3 table cloths, 2 pairs curtains, 4 door mats,
- 8 window blinds, 12 pair of trousers, 2 of blue green paint,
- 1 of the black paint, 2 pair of shoes, 2 pairs trousers,
- 6 pairs of socks, 6 pairs of gloves, 1 pair of gloves,
- 1 pair of shoes, 2 pairs of shoes.

Sir,  
 Yours obedient servant  
 C. H. ...

Officer in charge.

To the Superintendent,

District.

DUPLICATE

**SUBJECT** \_\_\_\_\_  
(one only)

**Station** \_\_\_\_\_

**District** \_\_\_\_\_

**Date** \_\_\_\_\_ 19\_\_

Sir,

I beg to submit the following report :—

*[Faint handwritten text, likely the start of the report]*

*[Faint handwritten signature and name]*  
\_\_\_\_\_  
Officer in charge.

To the Superintendent,

\_\_\_\_\_ District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

645

SUBJECT  
(one only)OilStation Police Remounts Lt. 40.District Port of LondonDate 26<sup>th</sup> June 19 72.

Sir,

I beg to submit the following report:—

The following oil  
is requested for the station.

1 gallon clock oil 1292  
 450 gallons Diesel "  
 3,015 " paraffin "  
 10 " motor spirits.  
 15 " lubricating oil 200.10/20.

I am

Sir

Your obedient servant

G. H. Rose

Officer in charge.

To the Superintendent,

Board of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT  
(one only)

Trinity House

Station Long Row, No. 12, LT. 40.

District St. Thomas, Highlands.

Date July 5<sup>th</sup> 1978

Sir,

I beg to submit the following report:—

*These curtains are requested for  
the above station.*

*10 bottom curtains 8'10" long, 3'3" wide*

*I am*

*Sir*

*Your obedient servant*

*W. J. ...*

Officer in charge.

To the Superintendent,

Trinity House District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT \_\_\_\_\_  
(one only)

Station Lake Point 14. 170.

District West of the ...

Date 8<sup>th</sup> July 19 72.

Sir,

I beg to submit the following report :—

*What are 2 custom books  
has now been received in good condition.*

*I am  
Yours obedient servant.*

J.W. Bide  
Officer in charge.

To the Superintendent,

Board of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT Stores  
(one only)

Station Case Pamba, T. H. D.

District Patt. Store, P. H. D.

Date 27/1/73 1973

Sir,

I beg to submit the following report:—

The following stores are requested for the annual station for the year 1972-73.

- 24 tons motor petrol
- 26 tons coal
- 12 tons rice
- 18 pot scrubbers
- 18 tea caddies
- 24 house journals
- 20 lbs matches
- 24 light bulbs 60W 240V
- 1 gross matches
- 2 gross soap
- 12 gross paper
- 1 set white nylon waste

I am  
Sir  
Yours obedient servant

[Signature]  
Officer in charge.

To the Superintendent,

[Signature] District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Home, Tower Hill, London, E.C.3.



657



DEPARTMENT OF TRADE AND INDUSTRY  
**BOARD OF TRADE**

Sunley House 90 High Holborn London WC1

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext 406

The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands

Your reference 0313/B/VIII

Our reference

MNA 37/1/04

Date

25 July 1972

Dear Sir

Please refer to the report of the Officer-in-Charge, Cape Pembroke Lighthouse, dated 5 May 1972 regarding goods not received which was forwarded with your letter of 10 May 1972. The report covered spares for the Valor Boiler, 1 enamel boiler for cooking, and 12 house flannels.

I have looked into this and the present position is as follows:

- 1 The spares for the Valor Boiler were despatched to you by parcel post in August 71 but now that they appear to have gone astray the manufacturer has agreed to supply replacement parts free of charge. They will be despatched by parcel post at the end of July.
- 2 The boiler was despatched by parcel post on 13 March and I imagine has now arrived safely. Perhaps you would confirm this in due course.
- 3 Trinity House say that the 12 house flannels were packed in the same case (case No 1 of 3 cases) as the various items of crockery and receipt of the latter was acknowledged in Mr Lyse's report of 29 April 72. A further search should therefore be made and I should be grateful if you would arrange for this to be done.

Yours faithfully

J R Fraser

Reply at 659

No. 0313/B/VLL1

It is requested that, in any reference to this memorandum the above number and date should be quoted.

MEMORANDUM



31st August, 19 72.

From: Harbour Master,  
Stanley, Falkland Islands.

The Colonial Secretary,  
STANLEY.

SUBJECT — Stores for Cape Pembroke Lighthouse

<sup>655</sup>  
Your Memorandum dated 4th inst refers.

1. Although the order for the Valor Boiler was acknowledged (folio 610) no invoice etc. has been received. It is noted that the spares in question have been re-ordered. Receipt will be acknowledged in due course.
2. Aluminium Boiler received, see folio 650/651
3. A further search has not located the missing flannels.

Letter from Department of Trade and Industry returned herewith.

Harbour Master

660

DEPARTMENT OF TRADE AND INDUSTRY

~~BOARD OF TRADE~~

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01 405 6911 ext



The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands

Your reference

Our reference

MNA 37/1/04

Date

27 June 1972

Dear Sir

On 23rd August, 1971, Trinity House Workshops, Blackwall received from Cape Pembroke Lighthouse, Falkland Islands the following items of P.V.B. Equipment.

- 1) 1-50 m/m PVB Neck.
- 2) 1-50 m/m PVB Casing.
- 3) 1-50 m/m PVB Sleeve Keep.
- 4) 1-50 m/m PVB Bunsen Tube.
- 5) 4-50 m/m PVB G Valve Pieces.
- 6) 1-50 m/m PVB H Valve Pieces.
- 7) 1-50 m/m PVB D Valve Pieces.
- 8) 6-50 m/m PVB Oil Supply Pipes.
- 9) 6-50 m/m PVB Vapourisers.

However no trace can be found in either our records or the records held by Trinity House of any instructions having been received regarding these items.

Could you please look into this matter and let me know what action you wish taken with regard to these items.

Yours Sincerely

*J. Gowan*  
J Gowan

DUPLICATE

SUBJECT .HPY. Burner Parts for Repairs.....  
 (one only)

660c

Station...Cape Pembroke Lighthouse....

District...Port Stanley Falklands.....

Date ....June 29th.....1971

Sir,

I beg to submit the following report:-

That the following items have been forwarded to  
 Trinity Workshop Blackwall for repairs or renewal

1 H. Valve	reseated	
1 S. "	"	
1 HG "	"	
1 bunsen tub	renewal	H.28
1 head casing	repaired	H.12
1 neck	"	H.19
6 Vapourisers	renewal	H.25
6 Oil pipes to Vapourisers	renewal	H.2
1 sleeve keep	renewal	H.18

I am,

Sir,

Your obedient servant,

.....(Sgd) G.W. Lyse.....  
 Officer in Charge

To the Superintendent

Board of Trade

DEPARTMENT OF TRADE AND INDUSTRY  
**BOARD OF TRADE**



Marine Division  
 Sunley House 90 High Holborn London WC1V 6LP  
 Telex 264084 Answer Back MARBOT London  
 Telegrams Marbot London WC1  
 Telephone 01 405 6911 ext 406

The Colonial Secretary  
 Colonial Secretary's Office  
 Port Stanley  
 Falkland Islands

0313/B/VIII  
 Your reference ~~0313/B/VIII~~

Our reference MNA 37/1/04

Date 15 September 1972

Dear Sir

Please refer to your letter of 27 July 1972 enclosing the 1972/73 Annual Stores requisition for Cape Pembroke Lighthouse. Trinity House will be arranging the supply of these items as shown on the attached list.

Yours faithfully

J R Fraser

Sent to H.M.S.

20.10.72

Enc

cus/32/3

466

SHIPPING AGENTS  
TO THE  
MINISTRY OF TRANSPORT  
SOUTH AUSTRALIAN GOVERNMENT.  
TASMANIAN GOVERNMENT  
CORPORATION OF TRINITY HOUSE  
ETC

# TALLACK, STOTT & CO., LTD.

FORMERLY F. TALLACK & SON ESTABLISHED 1806

SHIP & INSURANCE BROKERS

FORWARDING & PASSENGER AGENTS, EXPORT PACKERS, ETC.  
ALL CLASSES OF INSURANCE EFFECTED.

57/60. ALDGATE HIGH ST.,  
LONDON, E. C. 3.

Telephone  
01-709 9501  
Telegrams  
"TWENTY, LONDON" EC3  
Cables  
"TWENTY, LONDON" EC3  
Directors  
F. C. TALLACK, M.A.  
THOMAS W. HUTTON-STOTT  
J. A. WATTS  
P. A. MABBUTT.  
C. D. BALLARD SMITH.

27th September 1972.

AIR MAIL.

The Colonial Secretary,  
Colonial Secretary's Office,  
Port Stanley,  
Falkland Islands.

Dear Sir,

As instructed by Trinity House Lighthouse Service, we are sending you herewith one signed Bill of Lading and packing specification covering the undermentioned goods which we have shipped per "A.D.S", freight prepaid, from London to Port Stanley, there consigned to you.

1 sent to him  
§  
20.10.72

Hoping that this shipment arrives promptly and in good condition, we remain,

Yours faithfully,  
TALLACK, STOTT & CO. LTD.,

8 cartons Paint

ex. W. & J. Leigh & Co.,  
Bolton, Lancs.

Seen by him  
and returned to filing

28.10.72

W. & J. LEIGH & Co.

SPECIALISTS IN QUALITY PAINTS



DIRECTORS  
P. LEIGH-BRAMWELL  
D. W. BALSHAW  
W. D. HARRIS  
R. J. HENDERSON  
H. R. LEIGH-BRAMWELL  
H. L. TEMPLE

TOWER WORKS · KESTOR STREET  
BOLTON · BL2 2AL  
TEL 21771-9      TELEX 63489  
TELEGRAMS FABRIQUE BOLTON

LONDON OFFICE  
155, COMMERCIAL STREET, E.1.  
TEL. 01-247 3314/7  
TELEX 885742

JB

OUR REF. No. TO BE QUOTED  
ON ALL CORRESPONDENCE WOF/68573

Trinity House,  
Lights Dept.,  
Tower Hill,  
London EC3.

CUST ORDER No. L.6027

TERMS. 2 1/2 M.A.

LD/SO

INVOICE DATE 31st August, 1972.

MATERIAL

AMOUNT

PRICE

£.

p.

STATISTICAL CODE NUMBER 3209.3195

f.o.b.

Litres

Per Litre

1-2	2 cartons ea:ctg: 2-5 litre cans:- LEIGH'S UNDERCOAT BLACK	20	£0.405	8.10
3	1 carton ctg: 3-5 litre cans:- LEIGH'S UNDERCOAT) WHITE )			
4	1 carton ctg: 1-5 litre can:- LEIGH'S UNDERCOAT) WHITE )	20	£0.495	9.90
5	2-5 litre cans:- LEIGH'S EXTERIOR HIGH GLOSS FINISH) DARK STONE BBC 303 )	10	£0.505	5.05
6	1 carton ctg: 3-5 litre cans:- LEIGH'S MARINE) WHITE )			
6	1 carton ctg: 1-5 litre can:- LEIGH'S MARINE) WHITE )	20	£0.535	10.70
8	2-5 litre cans:- LEIGH'S EXTERIOR HIGH GLOSS FINISH) BLACK )			
7	1 carton ctg: 2-5 litre cans:- LEIGH'S EXTERIOR) HIGH GLOSS FINISH BLACK )	20	£0.505	10.10
8	1 carton ctg: 6-1 litre cans:- METAGRIP B.170 Q.D.) RED LEAD PRIMER )	6	£0.625	3.75
				47.50

HAZARDOUS GOODS

Nos.	each gross kilos-----	each nett kilos-----	total gross kilos-----	total nett kilos-----	c/metres	R/pts
1-2	14.5	12.2	29.0	24.4	36 x 19 x 25	105 <sup>0</sup>
3	24.5	20.9	24.5	20.9	61 x 23 x 25	105 <sup>0</sup>
4	21.5	19.7	21.5	19.7	"	97 <sup>0</sup>
5	21.6	18.1	21.8	18.1	"	104 <sup>0</sup>
6	19.1	15.5	19.1	15.5	"	100 <sup>0</sup>
7	11.3	9.5	11.8	9.5	39 x 19 x 25	100 <sup>0</sup>
8	15.6	12.0	15.6	12.0	36 x 36 x 18	103 <sup>0</sup>
			143.3	120.1		

SHIPPING MARK:-

THE COLONIAL SECRETARY  
COLONIAL SECRETARY'S OFFICE  
PORT STANLEY  
FALKLAND ISLANDS  
FOR "CAPE PEMBROKE LIGHTHOUSE".

No Export Licence Required  
Nos.1-8

Consignees:- Trinity House, Lights Dept., Tower Hill, London EC3.

Consignees:- The Colonial Secretary, Colonial Secretary's Office, Port Stanley, Falkland Is;

To The Order Of:- Tallack Stott & Co. Ltd., 57/60 Aldgate High St, London E.C.3.

At:- Dentron Wharf, Marklane, Gravesend, Kent.

For Shipment Per:- "A.E.S."

Per Motor D/D. Exporter:- W. & J. Leigh & Co. Tower Works Kestor Street Bolton BL2 2AL

(G.A.N. 10434)

W. & J. LEIGH & Co.

SPECIALISTS IN QUALITY PAINTS



DIRECTORS

P. LEIGH - BRAMWELL  
D. W. BALSHAW  
W. D. HARRIS  
R. J. HENDERSON  
H. R. LEIGH-BRAMWELL  
H. L. TEMPLE

TOWER WORKS · KESTOR STREET  
BOLTON · BL2 2AL

TEL. 21771-9      TELEX 63489  
TELEGRAMS FABRIQUE BOLTON

LONDON OFFICE  
155, COMMERCIAL STREET, E1 6BL  
TEL. 01-247 3314/7  
TELEX 885742

VJH/BW

30th August, 1972

The Colonial Secretary,  
Colonial Secretary's Office,  
Port Stanley,  
FALKLAND ISLANDS.



Dear Sir,

We have pleasure in enclosing herewith Shipping Specifications and Pro-forma Invoices, covering a consignment of paint which is coming forward per "A.E.S." from Gravesend, Kent, to your goodselves, and we do hope that same will arrive safely and without delay.

Yours faithfully,  
for W. & J. LEIGH & Co.

Miss V.J. Houghton



SUBJECT  
(one only)

*Wills and Wills*

Station *St. Paul's Church, N. 12*

District *St. Paul's Church, N. 12*

Date *Oct 11 1911*

Sir,

I beg to submit the following report:—

*The following items have been submitted in good condition.*

- 2 maps.*
- 2 main keys*
- 1 large and key.*
- 1 set metal rings*
- 1 set metal rings*
- 2 asbestos rollers.*
- 1 brass ring*
- 1 set chains*
- 1 set plates.*

*Yours*

*Sir*

*Your obedient servant*

*G W Lyse*

Officer in charge.

To the Superintendent,

*Board of Trade*

District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

SUBJECT  
(one only)

HPV ST.

Station to the P. ... H.O.  
 District P. ...  
 Date ... 19 ...

Sir,

I beg to submit the following report:—

The following items  
 are suggested for the above station.

- 36 long arm scrips H. 11.
- 24 " " wire brushes H. 12.
- 12 steel gauges H. 14.
- 12 pickers H. 14.
- 12 coned baskets H. 15.

I am  
 Sir  
 your obedient servant

\_\_\_\_\_  
 Officer in charge.

To the Superintendent,

Board of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT General Stores Received  
(one only)

Station Long Point, N.T. 170.  
District Fort St. John, N.T. 170.  
Date 24 10<sup>th</sup> 1919

Sir,

I beg to submit the following report :—

The following stores  
have been received.

21 lbs potato, 105 lbs cleaning cloths,  
24 light bulbs, 26000, 24 match sticks  
18 pot scrubbers 18 tea cloths, 12 tins Vim,  
1 gross matches, 2 counterpanes,  
24 house flannels, 12 reflector cloths,  
11 lantern curtains.

3015 gallons kerosine.  
150 " kerosine.  
15 " lub oil.  
10 " methylated spirits.  
5 " clock oil.

I am  
Sir  
Your obedient servant  
G W Lyse  
Officer in charge.

To the Superintendent,  
Fort St. John District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Admiralty House, Tower Hill, London, E.C.3.

689

GOVERNMENT TELEGRAPH SERVICE

FALKLAND ISLANDS

SENT

WAP 15148—821 585968/704663 500 pads 9/69 Grp.782

Number	Office of Origin	Words	Handed in at	Date
--------	------------------	-------	--------------	------

14/3

To

LTF MARBOT LONDONWCL

Account:  
Advances:DTI

GRATEFUL AIR POST IMMEDIATELY FOLLOWING SPARES FOR PETTER  
ENGINE 1698S AT CAPE PEMBROKE LIGHTHOUSE STOP TWO  
ONLY ENGINE/GENERATOR INTERMEDIATE RUBBER COUPLING

SECRETARY

Time

DUPLICATE

SUBJECT Copper Stove Pipes  
(one only)

Station King's Cross I.T. HO.

District Port & Trade Midlands

Date 12<sup>th</sup> March 1972

Sir,

I beg to submit the following report :—

Please forward the following  
copper stove pipes, as arranged  
will not last.  
15 feet of 1 1/2 inch for the oil-burning cooker.  
15 feet of 1 1/2 inch for the central heating stove.

I am  
Sir  
Your obedient servant  
G. H. [Signature]  
Officer in charge.

To the Superintendent,  
Port & Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

**SUBJECT**  
(one only)

Police Post Receipt

**Station** Cambridge

**District** Cambridge

**Date** July 11th 19 72

Sir,

I beg to submit the following report:—

*This item has been received*

*a rubber stamp, part No. 203210.*

*I am,  
Sir,  
your obedient servant*

\_\_\_\_\_  
*A. M. Taylor*  
Officer in charge.

To the Superintendent,

\_\_\_\_\_  
District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT H.P.V. Stills  
(one only)

Station Lab. Panketer 15 H.O.

District St. John's, Barbados

Date April 11th 19 72

Sir,

I beg to submit the following report:—

The following items  
have been received

- 12 cone baskets H.S.
- 40 pieces H.H.O
- 12 steel gauges H.H.
- 26 long iron scrapers H.H.
- 20 " " " " H.H.

Sum  
of  
your exhibit account

Paul Taylor  
Officer in charge.

To the Superintendent,

Barbados District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

GOVERNMENT TELEGRAPH SERVICE

698

FALKLAND ISLANDS

SENT

WAP 15142—821 584578/790938 500 pds 12/69 Grp 762

Number	Office of Origin	Words	Handed in at	Date
Pay				
To				
LTF MARBOT LONDON/C1			ADVANCES DTI	

175 MYLET CUS/32/3 13TH NOVEMBER CAPE PEMBROKE REPORT NO48 STOP IF NOT  
DESPATCHED PLEASE AIR POST ITEMS H12 AND 19

SECRETARY

Time



699

NNNN

*A93012 LEVSLY*~~ZBZCYAT099BLB DB8556X TX264084~~*FALW/20 FALW/035*

LONDONLB TLX 35 29 1228 GBGOVT

ETAT

THE COLONIAL SECRETARY COLONIAL SECRETARYS OFFICE

PORTSTANLEYFALKLANDISLANDS

REFERENCE YOUR TELEGRAM STOP

ITEM H19 HAS BEEN DISPATCHED STOP ITEM H12 BEING MADE IN WORKSHOP

WILL DISPATCH EARLIEST DATE STOP

D C WATTS - MARBOT LDN

COL ETAT COLONIAL SECRETARY

PORTSTANLEYFALKLANDISLANDS H19 H12 C WATRS - MARBOT LDN

200

GOVERNMENT TELEGRAPH SERVICE

FALKLAND ISLANDS

SENT

WAP 15142—821 584578/790938 500 pds 12/68 Grp.782

Number	Office of Origin	Words	Handed in at	Date
	PSY			28/6
To				
	LTF MARBOT LONDONWCL		ADVANCES DTI	

PLEASE DESPATCH BY AIR FIVE ONLY NOZZLE FUEL INJECTORS PART NO ZPB60 FOR  
 PATTER ENGINE TYPE PAZI NO 1698.S.

SECRETARY

Time

DUPLICATE

SUBJECT Burner parts seized  
(one only)

Station Police Station No. 110

District Central London

Date June 11<sup>th</sup> 1912

Sir,

I beg to submit the following report:—

The following burner parts  
have been seized.

- 1 brass casing #12.
- 1 neck #10.

Yours  
O/S.  
your obedient servant  
[Signature]  
Officer in charge.

To the Superintendent,

Div. of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATESUBJECT Annual Store  
(one only)Station Portsmouth I.T. H.O.District SouthamptonDate June 14<sup>th</sup> 1973

Sir,

I beg to submit the following report:—

The following stores are reported for the above station for the year 1973-74.

36 tons metal polish, 26 flats 0000, 12 toilet rolls,  
 123 lbs potash, 12 tons semolina, 75 light bulbs 60W. R.W.Y.  
 2 tapestry towel covers blue. 300 envelopes 6" x 3"  
 [Samples of these items requested 8.8.73] 11 asbestos <sup>123715</sup> knives for cooker  
 20 gallons turp oil 200.10.1/30, 5 lbs methylated spirits,  
 1.50 " diesel, 3015 gallons paraffin,  
1001 H.S. lamps, 1007 lamps, 1 toilet brush.

I would like to recommend that the diesel and paraffin be put in new drums.  
 Stores for H.P. burner.

12 steel gages H11,  
 36 long arm scrapers H11,  
 12 cone baskets H15, 36 long arm brushes H13,  
 1 head casing H12, 1 neck H19, 1 head base H21.

I am  
 Sir  
 Your obedient servant  
 G W Lupton  
 Officer in charge.

To the Superintendent,  
Board of Trade District.

DUPLICATE

SUBJECT HPV Pat. Pump & ...  
(one only)

Station Sub. Pambona 1540.

District Pat. ...

Date 5th July 19 72

Sir,

I beg to submit the following report:—

The following articles  
have been forwarded to Trinity workshop  
Blackburn for repairs or overhaul.

- 2 G valves repaired.
- 2 L " "
- 1 H " "
- 2 burner tubes removed. 1128.
- 2 regulator & carb. 1116. "
- 2 head base 1121.
- 1 neck top "
- 1 head casing 1121. "

I am  
Sir  
Your obedient servant

G. J. ...  
Officer in charge.

To the Superintendent,  
Board of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT Peter ...  
(one only)

Station 1216 ...

District ...

Date ... 19...

Sir,

I beg to submit the following report:—

*These specimens have been selected by the ... of the ...*

- 1. 3540
- 1. 24477
- 1. 24478
- 1. 24479
- 1. 24480
- 1. 24481
- 1. 24482
- 1. 24483
- 1. 24484
- 1. 24485
- 1. 24486
- 1. 24487
- 1. 24488
- 1. 24489
- 1. 24490
- 1. 24491
- 1. 24492
- 1. 24493
- 1. 24494
- 1. 24495
- 1. 24496
- 1. 24497
- 1. 24498
- 1. 24499
- 1. 24500

*Yours obedient servant*

...  
Officer in charge.

To the Superintendent,

... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT \_\_\_\_\_  
(one only)

Station \_\_\_\_\_

District \_\_\_\_\_

Date \_\_\_\_\_ 19 73

Sir,

I beg to submit the following report :—

*That I received by  
Mr. J. G. ...*

*Yours  
faithfully  
[Signature]*

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

\_\_\_\_\_  
District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.



**Department of Trade and Industry**

*Marine Division*

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands

Your reference CUS/32/3

Our reference MNA 37/1/04

Date 3rd August 1973



Dear Sir

I refer to the Cape Pembroke Annual Stores Indent for 1973-74 dated 14th June, above reference.

Requested in the indent are three items of stationary as follows;

- 300 Envelopes 9"x3"
- 100 LH3 Forms
- 100 E Forms

As difficulty is being experienced in identifying these items, I should be grateful if you would send me a sample of each.

Thanking you in anticipation.

Yours faithfully

*J. Cowan*  
J. Cowan

HW

*Grateful if you would obtain the samples requested pl*

*AJCS*  
*Samples attached*

*AJ 11.4*

*J*  
*h.c.s.*  
*13.8.73*



30th August

73

Dear Sir,

Thank you for your letter MNA 27/1/04 of 3rd August 1973, regarding the Cape Pembroke Annual Stores Indent for 1973-74 date 14th June 1973.

2. I enclose herewith samples of the three items of stationery as requested in your letter under reference.

Yours faithfully,

(R. Browning)  
for CHIEF SECRETARY

Mr. J. Cowan,  
Department of Trade & Industry,  
Marine Division,  
Sunley House,  
90 High Holborn,  
London WC1V 6LP.

DUPLICATE

**SUBJECT** \_\_\_\_\_  
(one only)

**Station** \_\_\_\_\_

**District** \_\_\_\_\_

**Date** \_\_\_\_\_ 19\_\_

Sir,

I beg to submit the following report:—

*The following subjects  
have been received for the past year.*

- 24. 40.
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000
- 1. 2000

\_\_\_\_\_  
*Officer in charge.*

To the Superintendent,

\_\_\_\_\_  
*District.*

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT HPV 250  
(one only)

Station ...

District ...

Date ... 19 73

Sir,

I beg to submit the following report :—

*The following species  
and their numbers are given below.*

- 1. H 1
- 1. H 2
- 1. H 3
- 36. H 4
- 1. H 5
- 36. H 6
- 1. H 7
- in separate numbers.

*John  
Dell  
...*

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

\_\_\_\_\_  
District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.



Department of Trade and Industry

718

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands

Your reference CUS/32/3

Our reference MNA 37/1/04

Date 14th June 1973

*Stanley Steel Standard Gauge*

Dear Sir

I refer to the report dated 12th March from Cape Pembroke Lighthouse forwarded by you on 18th April, requesting they be supplied with two 15 foot lengths of Copper Stove Pipe.

We have been advised by our technical staff that copper piping is not really suitable for the purpose intended. They have suggested as alternatives either, Asbestos Piping or Flexible Stainless Steel Tubing. Could you please advise as to which of these alternatives you wish supplied.

The Manufacturer to whom we applied for a quotation, requested the "wall thickness," presumably this refers to the walls to which the pipes will be fixed.

Also queried is the Measurement of  $4\frac{1}{2}$ ! Is this the outer diameter or the bore. If the latter could you advise as to the outer diameter measurement required.

Could you also advise on what type of end fixings it is intended to employ.

Thanking you in anticipation.

Yours faithfully

*J. Cowan*

J. Cowan

*Hm*



18th December 73

Dear Sir,

Thank you for your letter MNA 37/1/04 of 14th June 1973 regarding two 15-foot lengths of stove pipe for Cape Pembroke Lighthouse.

2. I have at length been able to obtain the information you requested.

3. The piping is required in stainless steel, standard gauge. I am given to understand that the further details necessary to the manufacturers are shown on the attached diagrams.

Yours faithfully,



(R. Browning)  
for CHIEF SECRETARY

Mr. J. Cowan,  
Department of Trade & Industry,  
Marine House,  
90 High Holborn,  
London WC1V 6LP.

DUPLICATE

SUBJECT \_\_\_\_\_  
(one only)

*Forms and envelopes*

Station *St. Paul's Churchyard*

District *St. Paul's Churchyard*

Date *December 31* 19 *73*

Sir,

I beg to submit the following report:—

*The following items have been received.*

- 100 forms L.A.S.*
- 100 forms E.*
- 200 envelopes.*

*Yours faithfully,*

*W. J. G.*

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

*St. Paul's Churchyard* District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

SUBJECT \_\_\_\_\_  
(one only)

*21th Sp. Part*

Station *1st 1st*

District *...*

Date *...* 1971

Sir,

I beg to submit the following report:—

*The following parts  
have been received.*

- 6. SBM7 part*
- 1. ZPD 714. Shim*
- 2H. SEM washer*
- 12. JESH. Washer.*

*Yours faithfully,*  
*J. G. ...*

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

*Board of Trade* District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

CUS/32/3

11th February 1974.

Chief Secretary

Supt. of Public Works

Stove piping - Cape Pembroke Lighthouse

I enclose herewith a letter with attached diagrams recently received from the Department of Trade and Industry, relative to the above subject, and should be grateful for your advice in the matter.



(R. Browning)  
for CHIEF SECRETARY

CB



DUPLICATE

SUBJECT 172. Bunker  
(one only)

Station Sea Bunker No 140

District Port of London Authority

Date February 4th 1974

Sir,

I beg to submit the following report:—

That 66 drums  
of paraffin has been received 2970 gallons.  
10 drums of diesel oil 450 gallons.  
1 drum of lub oil 45 gallons. 200/50.  
all in good condition.

Yours faithfully,

[Signature]

Officer in charge.

To the Superintendent,

Board of Trade District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT \_\_\_\_\_  
(one only)

Station Collyer Quay 110

District Port of Spain

Date \_\_\_\_\_ 1974

Sir,

I beg to submit the following report:—

That the following  
light bulbs have been received in good  
condition.

75 60 watt bulbs.

*[Signature]*

*[Signature]*

Officer in charge.

To the Superintendent,

Port of Spain District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

not received from June 29<sup>th</sup> 1971

6 Vapourisers H25 ✓

1 Slave keep H.18 ✓

1 Burner H28. ✓

6 Oil pipes to Vapourisers H2. ✓

1. H Valve. ✓

1 S. " ✓

H.G. "

4th April

74.

Dear Sir,

Would you please refer to my letter CUS/32/3 of 15th November 1972 forwarding a duplicate copy of Report No. 48 dated 29th June 1971 from the Principal Keeper, Cape Pembroke (replacing the original report which was reported to have gone astray).

2. Only items H.12 and H.19 of those listed on Report No. 48 for repair or renewal have been received (by air).

3. The undermentioned items are still outstanding and I should be grateful for early advice as to when they can be expected.

1 H. Valve	reseated	
1 S. Valve	"	
1 HG Valve	"	
1 Bunsen tub	renewal	H28
6 Vapourisers	"	H25
6 Oil pipes to vapourisers	"	H2
1 Sleeve keep	"	H18

Yours faithfully,



(R. Browning)  
for CHIEF SECRETARY

Department of Trade & Industry,  
Marine Division,  
Sunley House,  
90 High Holborn,  
London WC1V 6LP.

CB

SUBJECT \_\_\_\_\_  
(one only)

Station St. Pancras St. HD.

District St. Pancras St. HD.

Date \_\_\_\_\_ 19 74.

Sir,

I beg to submit the following report :—

*The following items  
were found in the  
stall on 10/10/74  
20 lbs. weight. 20 lbs. weight. 20 lbs.  
20 lbs. 20 lbs. 20 lbs. 20 lbs.  
20 lbs. 20 lbs. 20 lbs. 20 lbs.*

*Yours faithfully,  
G. H. [Signature]*  
\_\_\_\_\_  
Officer in charge.

To the Superintendent,

\_\_\_\_\_ District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

643/82/3

732

SHIPPING AGENTS  
TO  
THE DEPARTMENT OF TRADE & INDUSTRY  
SOUTH AUSTRALIAN GOVERNMENT.  
TASMANIAN GOVERNMENT  
CORPORATION OF TRINITY HOUSE  
ETC.

# TALLACK, STOTT & CO. LTD.

FORMERLY F. TALLACK & SON ESTABLISHED 1806

SHIP & INSURANCE BROKERS.

FORWARDING & PASSENGER AGENTS, EXPORT PACKERS, ETC.  
ALL CLASSES OF INSURANCE EFFECTED.

57/60, ALDGATE HIGH ST.,  
LONDON, EC3N 1BA

Telephone  
01-709 9501.  
Telegrams  
"TWENTY, LONDON" EC3.  
Cables  
"TWENTY, LONDON" EC3.  
Directors:  
F.P.C. TALLACK, M.A.  
THOMAS W. HUTTON-STOTT.  
J. A. WATTS.  
P.A. MABBUTT.  
C. D. BALLARD SMITH.

20th May 1974.

AIR MAIL.

The Colonial Secretary,  
Colonial Secretary's Office,  
Port Stanley,  
Falkland Islands.



Dear Sir,

As instructed by Trinity House Lighthouse Service we are sending you herewith one signed Bill of Lading covering the undermentioned goods which we have shipped per "ANNETTE DANIELSEN", freight prepaid, from London to Port Stanley, there consigned to you.

We trust that this shipment will reach you promptly and in good condition and remain,

Yours faithfully,  
TALLACK, STOTT & CO. LTD.,

6 drums Methylated Spirit

ex. W.Bates & CO.Ltd.,  
Southampton.

W.M. informed.   
4.6.74.



Department of Trade and Industry

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

733

Mr. R. Browning  
The Secretariat  
Stanley  
Falkland Islands  
South Atlantic

Your reference

CUS//32/3  
Our reference

MNA 37/1/04  
Date

25th June 1974


Dear Sir

With reference to your letter dated 4th April, 1974, concerning P.V.B. equipment sent to Trinity House Workshops, Blackwall, for repair/renewal.

I have been informed by Trinity House that the P.V.B. items were despatched by Parcel Post, surface mail to the Colonial Secretary, Port Stanley, on the 11th June, 1974.

Trusting that they arrive safely.

Yours faithfully

  
J. Cowan



# MEMORANDUM

734

Reference .....

Date ..... 11th July, 1974 .....

**From** Harbour Master

**To** Ag. Chief Secretary

---

Lighthouse Reports.

I forward herewith for onward transmission to the Department of Trade and Industry, the following reports received from the Principal Keeper, Cape Pembroke Lighthouse.

Oil and Store Accounts April - June 1974.



*H. Galliday*  
Harbour Master.



Correspondence and your account to  
this address quoting:-

Our reference: MNA 37/1/04  
and Order No: E 525

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date **16** July 1974

To: ~~M&C~~ Engineering Ltd  
Harston's Yard  
Abbey Road  
Enfield  
Middlesex EN1 2OH

OS 13

Please supply

CAPE PEMROKE LIGHTSTATION - FALKLAND ISLANDS

2 - Sets of flue pipes and fittings, one for central heating stove the other for a kitchen range all from  $4\frac{1}{2}$ " o/dia x 16 w.g. wall (.064") solid drawn copper tube. Each set generally in accordance with sketches provided including special collar to allow for  $4\frac{3}{4}$ " o/d spigot of central heating stove. Packed in suitable case 12'-0" x 1'-9" x 1'-3" nett weight approx 180 lbs.

PRICE: £352.00 nett F.O.B. London

As per your quotation dated 8. 7. 74.

An inspection of the completed items will be required.

L C Tucker  
Assistant Lighthouse Engineer

Despatch by . Sea Freight ..... Deliver to Instructions of .....

Addressed to The Colonial Secretary ..... Tallack Stott & Co Ltd .....  
Colonial Secretary's Office ..... 57-60 Aldgate High Street .....  
Port Stanley ..... London EC3N 1BA .....  
Falkland Islands

TELE: 01 - 709 - 9501

V1913



736  
Department of Trade and Industry

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

R Browning Esq  
The Secretariat  
Stanley  
Falkland Islands  
South Atlantic

Your reference

Our reference MNA 37/1/04

Date 17 July 1974

Dear Browning

REPLACEMENT FLUES - CAPE PEMBROKE LIGHTSTATION

I enclose two copies of our order E 525 on M E C Engineering Ltd for the two sets of flues and fittings required for the Cape Pembroke Lightstation. After considerable trouble we were forced to accept the fact that having them made in Stainless Steel would have entailed a very long delay and have therefore ordered manufacture in copper.

x/ Please return one copy of the order in acknowledgement of receipt of the consignment.

Yours sincerely

L C TUCKER  
Assistant Lighthouse Engineer

DUPLICATE

**SUBJECT**  
(one only)

Malting of spirits received

**Station** San Pedro de Macoris

**District** San Pedro de Macoris

**Date** 20<sup>th</sup> July 19 74.

Sir,

I beg to submit the following report:—

That 6.5 gallon drums  
of malted spirits have been  
received. 1 drum was leaking with a  
shortage of 10 pints. This makes  
220 pints received.

Yours faithfully,  
[Signature]  
Officer in charge.

To the Superintendent,

[Signature] District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

**SUBJECT**  
*(one only)*

*H.P.V. Station*

**Station** *London Portland Dock H.O.*

**District** *Port of London Authority*

**Date** *August 24* 19 *11*

Sir,

I beg to submit the following report:—

*The following items are  
wanted for the above station*

- 60* *crane baskets* *H.15.*
- 60* *steel couplers* *H.14.*
- 48* *pickers* *H.10.*
- 48* *wire brushes* *H.12.*
- 48* *long arm scrapers* *H.11.*
- 18* *nippers* *H.7.*
- 24* *defeating cones* *plate and screw* *H.16.*
- 100* *auto-horn* *manila* *H.8.*
- 1* *gasometer* *measures* *H.19.*
- 3* *brass* *drum* *H.52.*
- 8* *"* *"* *H.54.*
- 3* *manila* *cassies* *with* *the* *drum* *H.11.*
- 1* *adjustable* *spanner* *H.35.*

*Yours faithfully*

*Gettys*

*Officer in charge.*

To the Superintendent,

*Board of Trade* District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

CUS/32/3

739

December 5th, 74.

Dear Sirs,

I am to forward the undermentioned reports received from the Principal Keeper, Cape Pembroke Lighthouse:-

Oil and Stores A/c's.. July, August, September 1974.

Yours faithfully,

(P. King)

for CHIEF SECRETARY

Dept., of Trade and Industry,  
Marine Division,  
Sunley House,  
90 High Holburn,  
London WC1V 6LP

SUBJECT H.M. P. ...  
(one only)

Station ...

District ...

Date ... 19 71

Sir,

I beg to submit the following report :—

*The following ...*

- 1. ...
- 1. ...
- 6. ...
- 1. ...
- 1. ...
- 1. ...
- 1. ...
- 6. ...

.....  
Officer in charge.

To the Superintendent,

... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

741

DUPLICATE

SUBJECT .....  
(one only)

Station ..... 10.

District ..... 19

Date ..... 19

Sir,

I beg to submit the following report :—

The following stores  
are requested for the above station.

- 24 mt. brushes, 20 tin can, 54 PK'S O.M.T. 24 tin pic.
- 14 rolls steel wool, 14 hand scudders, 26 house pansels.
- 148 pint cans, 26 tins metal polish, 1 set chimney soap.
- 1 gross matches, 6 willow cases, 6 gas shute 70" x 100"
- 24 tea caddies, 23 gallon galvaniz'd buckets, 3 bass brooms.
- 75 light bulbs 10w, 240v, 3 enamel canisters 16, 25, 10, 12
- 2 sugar basins, 2 enamel tin dishes 10" x 7 1/2" x 2"
- 1 enamel ketch, 6 tin, 18 shute glass jars assorted,
- 12 shute empty clothes assorted, 12 enamel hot irons.
- 2 wire brushes, 1 hammer, 1 wrench, 12 assorted pins.
- 18 back saw blades 10" & 11" point brushes 3.8.6.1"
- 3 web mop for windows 11 x 21, 2 tin span block.
- 14 gallons white spirits, 200 tins benzoin gran marmel.
- 100 lbs dark stone gas, 80 lbs black undercoat.
- 8 " black " 8 " white "
- 8 " white " 3 " cream "
- 3 " cream " 200 lbs gas white interior.
- 3,015 gallons paraffin, 450 gallons diesel,
- in lbs petrol for cleaning burner head.

.....  
Officer in charge.

To the Superintendent,

..... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

**SUBJECT** North ...  
*(one only)*

**Station** ...

**District** ...

**Date** ... 19...

Sir,

I beg to submit the following report :—

*... have been received ...*

*Yours faithfully*

.....  
*Officer in charge.*

To the Superintendent,

... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.



# GOVERNMENT TELEGRAPH SERVICE

747

FALKLAND ISLANDS

## SENT

---

Number	Office of Origin	Words	Handed in at	Date
--------	------------------	-------	--------------	------

---

7.2.75

To

MARBOT  
LONDON WC1

---

URGENT FOR CAPE PEMBROKE LIGHTHOUSE FALKLANDS  
AIR POST FOLLOWING SPARES FOR

NUMBER ENGINE	TYPE	PAZI ENG. NO.	16985
2	ZPB 58	GASKET	CYLINDER HEAD
2	ZPB 60	NOZZLE	FUEL INJECTOR
1	ZPC 11	RING	COMP CHROM
2	ZPC 12	RING	COMP PLAIN
1	ZPC 13	RING	SCRAPER SLOTTED
1	ZPC 13a	RING	SCRAPER CHROM
2	ZPC 14	CIRCLIP	GUDGEON PIN
2	TC 21	BEARING	030 U/S
2	ZPC 21	BEARING	030 U/S

CHIEF SECRETARY

Time

---

## Department of Trade

748



Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands..

Your reference

Our reference MNA 37/1/04

Date 26 February 1975

Dear Sir

ORDER NO: E525-MEC ENGINEERING LTD

No notification of receipt has been received <sup>FOR</sup> ~~from~~ the above order. This was for 2 sets of flue pipes and fittings for Cape Pembroke lightstation. The fittings were shipped per the M.V 'SONJA BEWA' which was due in Port Stanley on the 19 January 1975. Would you please confirm whether the flue fittings have been received or not so that the necessary accounting or other action may be taken.

Yours faithfully

P J GAULE

**DALES CHAMOIS LEATHER CO. LTD.**  
 Station Road  
 Otley, West Yorkshire  
 LS21 3HU  
**TELEPHONE OTLEY 2721**

750

Nº 9095

11th March, 1979.

7100

L.6100

The Principal, Lights Dept.,  
 The Trinity House,  
 Tower Hill,  
 LONDON, E.C. 3.

COPY

XXXXXXXXXXXXXXXXXXXXX Nett

	per unit		
12 only Chamois Leathers 22"x21"	@ 89p	10.68	Zero.
Plus postage		1.00	V.A.T. not charged on export orders.

Despatched to The Colonial Secretary,  
 Colonial Secretary's Office, Port Stanley,  
 Falkland Islands. Marked:-  
 "Cape Pembroke Lighthouse".

11.68

11.68

NETT

SALES INVOICE

# WHITAKER & SAWYER LTD

Wh Manufacturers

Victoria Works Credon Road Upton Park London E13 9BS

Telephone 01 472 1244/5

V.A.T. Registration No. 248 1183 63

751

SOLD TO

TRINITY HOUSE, LONDON  
LIGHTS DEPT.  
TRINITY HOUSE  
TOWER HILL  
LONDON, EC3



Tax point Date 6 03 75	Rep. 0	VAT Code 0	ORDER No. L.6099
---------------------------	-----------	---------------	---------------------

PRODUCT CODE	DESCRIPTION OF GOODS	QUANTITY	PRICE	PER	TOTAL COST
	HAND SCRUBS	4	1 86	dz	0 62
	BASS BROOMS	3	7 20	dz	1 80
P25	PAINTING BRUSHES, 1"	6	1 98	dz	0 99
	DITTO 2"	3	4 44	dz	1 11
	DITTO 4"	2	12 96	dz	2 16
					6 68 ◊
	POSTAGE				2 35
					9 03 ◊

TAX POINT DATE TAKEN AS INVOICE DATE

NET GOODS £ 9 03	VAT RATE	TOTAL VAT £	NET AMOUNT DUE £ 9 03
---------------------	----------	----------------	--------------------------

DELIVERED TO

COLONIAL SECRETARY'S OFFICE  
PORT STANLEY  
FALKLAND ISLANDS  
CAPE PEMBROKE LIGHTHOUSE

Settlement Terms  
Strictly Net

752

19th March

75

E J Gauls Esq  
Department of Trade  
Sunley House  
90 High Holborn  
London WC1V 6LP

Dear Sir,

Order No: 525-100 Engineering Limited

Please refer to your letter reference  
NWA 37/1/04 of 25th February 1975.

748

I confirm the receipt of the items  
under reference.

Yours faithfully,



(J R Morrison)  
for CHIEF SECRETARY

003



Department of Trade

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

753


The Secretariat  
Stanley  
Falkland Islands  
South Atlantic

Your reference

Our reference MNA 37/1/04

F.A.O. MR R BROWNING

Date 12 March 1975



Dear Browning

SPARES FOR PAZ1 ENGINE

I refer to our order No. E612 on Petters Ltd for spares for the PAZ1 engine at Cape Pembroke Light-station. The bulk of the items you asked for in your cable have been despatched, but we have been advised that Petters are unable to promise delivery of the set of piston rings in under 10 weeks.

2. I shall make every effort to improve on this situation but since the items concerned are purchased by Petters from a subcontractor I fear my chances of success are slim.

Yours sincerely

L C TUCKER

Assistant Lighthouse Engineer

SUBJECT Letter Post  
(one only)

Station Essex Road, K. 10.

District East London

Date March 19 1975

Sir,

I beg to submit the following report :—

*Received the following parts for letter report.*

- 1. ZPC. 14.
- 1 ZPC. 15.
- 2. ZPC 60.
- H. ZPC/TE 21.
- 2 ZPC. 58.

*Your faithfully*

\_\_\_\_\_ *P. J. Lee*  
Officer in charge.

To the Superintendent,

\_\_\_\_\_ District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.



Department of Trade

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext: 400

756

The Colonial Secretary  
The Colonial Secretary's Office  
Port Stanley  
Falkland Islands

Your reference

Our reference MNA37/1/04

Date 10 April 1975



Dear Sir

ORDER NUMBER E612 - PETERS LTD

No notification of receipt has been received for the above order number. This was for engine spares for a Petter's Engine type PAZ1 engine number 16985. Items 1, 2, 6, 7, 8 and 9 were despatched to you by Air Mail on the 19 February 1975. Will you please confirm whether the enumerated items above have been received or not so that the necessary accounting action can be taken. There is some difficulty in obtaining the remainder of the order but these items will be forwarded on to you when obtained.

Yours faithfully,

P. J. Gaule  
Room 5/9

P J Gaule

*Crassa*

*See (754)*



758

DUPLICATE

SUBJECT Amethyst  
(one only)

Station London

District City of London

Date 1919

Sir,

I beg to submit the following report:—

The following pieces  
of glass are mounted for  
microscopic examination.

- 6. 1/2 lb. diamond grains
- 4. 1/2 lb. diamond grains.
- 8. 5 lb. fine topaz crystals.

*[Handwritten signature]*

Officer in charge.

To the Superintendent,

London District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

The Secretariat  
Stanley

761

13th May 1975


Dept of Trade and Industry  
Marine Division  
Sunley House  
90 High Holborn  
London WC1V 6LP

Dear Sirs,

I refer to our letter of 17th December 1974 containing reports Nos 31 and 32 from the Principal Keeper, Cape Pembroke Lighthouse.

It would be appreciated if the order contained in No 32 for 3,015 gallons Paraffin and 450 gallons Diesel Oil could be available for shipment to the Falklands by the next sailing of MV Sonja Bewa on or about 15th June 1975.

Yours faithfully,



(T.J. Allan)  
for CHIEF SECRETARY

cfej

DUPLICATE

SUBJECT Annual Report 1975  
(one only)

Station Boys' Brigade 40

District Portsmouth Harbour

Date 17 July 19 75

Sir,

I beg to submit the following report:—

*Annual Report 1975*  
*Boys' Brigade 40*

- 75 pairs of shoes, 20 pair socks, 1 hand scrubber,
- 24 pairs of gloves, 2 brooms, 2 buckets,
- 26 meter poles, 1 gas meter, 18 tin cans,
- 2 S. bins, 2 gas tubes, 2 saws, 1 kettle,
- 11 paint brushes, 1 hammer, 20 lines tin, 26 pairs of gloves,
- 12 assorted pins, 18 blades for blades, 12 chronic latross,
- 100 lb cleaning rag, 10 sheets of cloth, 18 sheets of paper,
- 2 wire brushes, 10 pairs of gloves,

H.P. 1

60 H.C. 60 H.H. 18 H.P. 18 H.H. 18 H.H.  
18 H.H. 24 H.H. 1 H.H. 8 H.H. 8 H.H. 3 H.H.  
1 H.H.

*Yours faithfully*

H.P. 1  
Officer in charge.

To the Superintendent,

Boys' Brigade 40 District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

May 26th, 75.

Dear Sir,

I forward herewith a request for spare parts for engines at Cape Pembroke Lighthouse as detailed below:

1 only Rectifier	<u>Parts required for:</u>
1 only Transformer	A.C. Generator, Type GPS
1 only Set of Bearings	Serial No. 46264/1
1 only Set of brushes	Frame 648 ENC DP Rating
	Cont. KVA 1.25
	Volts 230 AMP 5.4 HZ50

Above parts available from BKR Electric Motors Ltd., Birmingham, England.

2 only 303210 Rubber Couplings, for Peter England, Engine Type PAZ1, No.1698-S, BHP 2.5 RPM 1500.

I should be grateful if the items listed above could be available for shipment per Charter Vessel sailing from UK late June or early July.

Yours faithfully,

(P. King)  
for CHIEF SECRETARY

Dept. of Trade and Industry,  
Marine Division,  
Sunley House,  
90, High Holborn,  
London WC1V 6LP.

SUBJECT  
(one only)

Letter Spacers

Station:

Pen. Pambodok 11. HQ.

District:

Port Stanley, Falklands.

Date:

May 20th 1975

Sir,

I beg to submit the following report:—

The following spacers are requested for the gutter hand engine type PAZLI 11: 1492.S.

- 2 PBI
- 4. ASA 85
- 2. ZPB 64
- 2. IB 62
- 2. ZPB 58
- 1. ZPB 111
- 2. ZPN 51
- 2. ZPN 50

yours faithfully,

G. W. [Signature]

Officer in charge.

To the Superintendent,

South of Islands District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

Correspondence and your account to this address quoting:-

Our reference: MNA 37/1/04

Order No: E. 650

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date 21 May 1975

To:- Expandite Ltd  
1 - 9 Chase Road  
London NW10 6PS

For attention of Mr Orbell

OS2A  
OS2B  
OS2C  
OS12  
OS13  
RSL  
RFL

Please supply

CAPE PEMBROKE LIGHTSTATION.

8 No 5 Kilogram tins. Safeseal Beadfix glazing compound. @ £1.30 ea

1 No 'G' Gun with plunger suitable for use with the above compound.

F.O.B.

10.40

£6.17

£16.57

L.C. Tucker  
Assistant Lighthouse Engineer

Despatch by Sea Freight ..... Deliver to instructions of Tallack, Stott and Co. Ltd. ....  
57-60 Aldgate High Street  
Addressed to The Colonial Secretary ..... London EC3N 1BA .....  
Colonial Secretary's Office .....  
Port Stanley .....  
Falkland Island .....  
South Atlantic. .....  
Tele: 01-709-9501.....

Correspondence and your account to  
this address quoting:-

Our reference: MNA 37/1/04  
and Order No: E. 655

DEPARTMENT OF TRADE AND INDUSTRY  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date **3** June 1975

To:-

The Engineer-in-Chief  
Trinity House Lighthouse Service  
Trinity House  
Tower Hill  
London EC3N 4DH

OS2A  
~~OS2B~~  
~~OS2C~~  
~~OS2~~  
~~OS13~~  
~~OSL~~  
~~DEL~~

Please supply

FOR CAPE PEMBROKE LIGHTSTATION

SIX FULL DIAMOND PANES GLASS

FOUR HALF DIAMOND PANES GLASS

ALL AS SHOWN ON DRAWING NO 612/2 (COPIES IN YOUR POSSESSION)

F.O.B

*LC*

L C TUCKER  
ASSISTANT LIGHTHOUSE ENGINEER

Despatch by SEA FREIGHT Deliver to instructions of TALLACK STOTT & CO LTD  
Addressed to THE COLONIAL SECRETARY ..... 57-60 ALDGATE HIGH STREET  
COLONIAL SECRETARY'S OFFICE .....  
PORT STANLEY ..... LONDON EC3N 1BA  
FAKLAND ISLANDS .....  
SOUTH ATLANTIC ..... Telephone: (01) 709-9501



# Department of Trade

Marine Division  
Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer back MARBOT London  
Telegrams Marbot London WC1

Telephone 01-405 6911 ext

767

The Secretariat  
Stanley, Falkland Islands  
South Atlantic

F.A.O. P KING ESQ.

Your reference

Our reference MNA 37/1/04

Date 4 June 1975

CUS/32/2

Dear King

REPORT NO. 36

16 JUN 1975

16 JUN 1975

1. The panes of glass for the lantern have been ordered as requested and copies of our order E655 are enclosed. This glazing is made to order and may take a little longer than one would expect. It is therefore prudent to maintain a complete stock of spare panes, and would you therefore please confirm that the panes just ordered will completely replenish the spares rack. If this is not the case, please advise as soon as possible what additional panes are required to complete the rack and the order can be increased accordingly.

2. I also enclose two copies of our order E650 on Expandite Ltd for Safeseal Beadfix glazing compound and a gun for applying it. Stopstara putty is no longer used as the Expandite material has been found to be superior. The method of use is somewhat similar to that of the old putty, but the new compound is squeezed out of the gun in the form of a continuous bead, which with very little practice can be made quite regular. The sequence of operations is as follows.

- a. Prepare bed by removal of all old glass and putty.
- b. Check that selected new pane will fit, with adequate clearance all round. Remove new pane.
- c. Lay a generous amount of Safeseal Beadfix glazing compound in the prepared bed.
- d. Offer up the pane of glass. Centralise by using wooden wedges about  $\frac{3}{8}$  inch wide. Press glass home evenly all round. Glazing compound should be squeezed out slightly by the glass to ensure a complete seal around all edges.
- e. Instal glazing strips.
- f. Fill gap between glazing strips and glass with a final bead of glazing compound.

3. The gun for applying the glazing compound should be cleaned and put away for re-use at a later date. Unused glazing compound may also be stored for a considerable period.

4. Duplicate copies of orders have been enclosed. Please return one copy as notification of receipt of the goods concerned.

Yours sincerely

*J C Mucker*

Reply to 792



Correspondence and your account to  
this address quoting:-

Our reference: MNA 37-1-04

Order No: E. 658

760

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 401

Date **9** June 1975

To:- PETTERS LTD  
HAMBLE LANE  
HAMBLE  
Nr SOUTHAMPTON  
SO3 5NJ

For the attention of Mr A Webb

OS2A  
██████  
██████  
██████  
██████  
██████

Please supply

CAPE PEMBROKE LIGHTHOUSE  
FALKLAND ISLANDS

Spares for Petter Engine Type PAZ 1

No 1698-S BHP 2.5 RPM 1500

Rubber Couplings 303210

@ £2.47 each  
+ 60.17% increase

£4.94

*LC*

L C Tucker  
Assistant Lighthouse Engineer

Despatch by Air Parcel Post Insured Deliver to instructions of .....

Addressed to The Colonial Secretary  
Colonial Secretary's Office  
PORT STANLEY  
FALKLAND ISLANDS  
SOUTH ATLANTIC

CUS/3213

DUPLICATE

SUBJECT [handwritten subject]

(one only)



Station Cape Pembroke I 40

District St. Andrew's Islands

Date [handwritten] 1975

Sir,

I beg to submit the following report :—

*I should be grateful if  
a request could be made to the  
Board of Lands for Cape Pembroke  
to purchase a 10 cubic feet capacity tank.  
If approval is given this can be purchased locally  
at a cost of £160.*

*[Handwritten signature]*

\_\_\_\_\_  
Officer in charge.

To the Superintendent,

[handwritten name] District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

MF

Correspondence and your account to  
this address quoting:-

Our reference: MNA 37/1/04  
and Order No: E664

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date // June 1975

To:- B K B Electric Motors Ltd  
St George's Works  
Camden Street  
Birmingham

For the attention of MR Briggs  
Export Dept.

OS2A  
~~0628~~  
062C  
0612  
~~0613~~  
RSL  
~~BEL~~

Please supply

CAPE PEMBROKE LIGHTSTATION

With parts required for A.C. generator type G.P.S. serial No. 46264/1.  
Frame 648 Enc DP Rating Cont. KVA 1.25 volts - 230. AMP 5.4 HZ 50.

1 Number	Rectifier	£3.19
1 Number	Transformer	£7.19
1 Set	Bearings	£3.37
1 Set	Brushes	£2.16
	Postage and Packing	£10.50
	<u>Total</u>	<u>£26.41</u>

Please include A certificate of Posting with your invoices.

*let*  
L C Tucker  
Assistant Lighthouse Engineer

Despatch by Air Parcel Post (Insured) Deliver to Instructions of .....

Addressed to The Colonial Secretary .....

Colonial Secretary's Office .....

Port Stanley .....

Falkland Islands .....

South Atlantic

LC

CUS/32/3

770

Correspondence and your account to this address quoting:-

Our reference: MNA 37/1/04  
and Order No: E662

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 8LP  
Telex 264064 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date 11 June 1975

To:- The Engineer-in-Chief  
Trinity House Lighthouse Service  
Trinity House  
Tower Hill  
London EC3N 4DH

L F.A.O. MR E J MACNAMARA

CS2A  
CS2B  
CS2C  
CS2D  
CS2E  
CS2F  
CS2G  
CS2H

Please supply

CAPE PEMBROKE LIGHTSTATION

REPAIR OR RENEW P.V.B. EQUIPMENT AS FOLLOWS:-

DEFECTIVE COMPONENTS

- 1. 2 OFF G VALVES
  - 2. 1 OFF H VALVE
  - 3. 1 OFF S VALVE
- } REPAIR

- 4. 2 OFF HEAD CASING
  - 5. 1 OFF NECK H19
  - 6. 1 OFF SLEEVE KEEP H18
  - 7. 1 OFF OIL PIPE TO VAPOURISER H2
- } RENEW

DEFECTIVE ITEMS ALREADY IN YOUR POSSESSION.

let

L C Tucker  
Assistant Lighthouse Engineer.

Despatch by Air Parcel Post (Insured).. Deliver to Instructions of .....

Addressed to .The Colonial Secretary...  
Colonial Secretary's Office  
Port Stanley.....  
Falkland Islands  
South Atlantic

MF

CUS/32/3

773



**Department of Trade**

MARINE DIVISION

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Secretariat  
STANLEY  
FALKLAND ISLANDS  
SOUTH ATLANTIC

Your reference CUS/32/3

Our reference MNA 37/1/04

Date 12 June 1975



For the attention of P King Esq

Dear King

REPORT NO. 38.

I refer to your letter of 2 June covering Report No. 38 in which eight further replacement items for the Petter diesel are ordered. These will be obtained as soon as possible.

The rubber couplings, (Our order E658), are being despatched by air parcel, together with the piston rings outstanding from an earlier order. They should leave UK in a day or two.

While it is appreciated that accurate forecasting of spares requirements is difficult, it does help us in dealing with manufacturers if we only have one sizeable order to refer to instead of several small ones, particularly when urging an early delivery. It also helps with shipping and other charges, so if possible it is better to avoid ordering in several small quantities.

Yours sincerely

L C Tucker  
Assistant Lighthouse Engineer

Correspondence and your account to this address quoting:-

Our reference: NNA 32/1/04  
and Order No: E662

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 400

Date // June 1975

To:- The Engineer-in-Chief  
Trinity House Lighthouse Service  
Trinity House  
Tower Hill  
London EC3N 4DH

L F.A.O. MR E J MACNAMARA

OS2A  
~~OS2B~~  
OS2C  
OS2D  
OS2E  
OS2F  
OS2G  
OS2H

Please supply

CAPE PEMBROKE LIGHTSTATION

REPAIR OR RENEW P.V.B. EQUIPMENT AS FOLLOWS:-

DEFECTIVE COMPONENTS

- 1. 2 OFF G VALVES )
- 2. 1 OFF H VALVE ) REPAIR
- 3. 1 OFF S VALVE )

- 4. 2 OFF HEAD CASING
- 5. 1 OFF NECK H19
- 6. 1 OFF SLEEVE KEEP H18
- 7. 1 OFF OIL PIPE TO VAPOURISER H2

RENEW

DEFECTIVE ITEMS ALREADY IN YOUR POSSESSION.

*let*

L C Tucker  
Assistant Lighthouse Engineer.

Despatch by Air Parcel Post (Insured). Deliver to instructions of .....

Addressed to The Colonial Secretary...  
Colonial Secretary's Office  
Port Stanley.....  
Falkland Islands  
South Atlantic

777

Correspondence and your account to this address quoting:-

Our reference: MNA 37-1-04  
Order No: E.665

DEPARTMENT OF TRADE  
Marine Division Branch 3B  
Sunley House 90 High Holborn London WC1V 6LP  
Telex 264084 Answer Back MARBOT London  
Telegrams Marbot London WC1  
Telephone 01-405 6911 ext 401

Date July 1975  
26 JUN 1975

To:- Petters Ltd  
Hamble Lane  
Hamble  
Nr Southampton  
SO3 5NJ

OS2A  
OS2B  
OS2C  
OS2D  
OS2E  
OS2F  
OS2G

Please supply

CAPE PEMBROKE LIGHTSTATION FALKLAND ISLAND

SPARES FOR DIESEL ENGINE PAZ 1  
NO 1698S.

2 No. PD6 Spring A1224	@ £0.15 each	£0.30
4 No. AJB85 Sleeve 4/208485	@ £1.60 each	£6.40
2 No. ZFB64 Stud 760052	@ £0.10 each	£0.20
2 No. JB62 Nut 726002	@ £0.04 each	£0.08
2 No. ZFB58 Gasket 254307	@ £0.43 each	£0.86
1 No. ZFB141 Spring Extn Rod Fuel Pump 259875.	@ £0.06 each	£0.06
2 No. ZPN51 Cover 256188	@ £0.35 each	£0.70
2 No. ZPN50 Circlip 257400	@ £0.06 each	£0.12

Plus 5% £8.72

Total £9.16

*L C Tucker*

L C Tucker  
Assistant Lighthouse Engineer.

Despatch by . Air. Parcel Post. (Insured). Deliver to Instructions of .....

Addressed to .The Colonial Secretary....  
Colonial Secretary's Office  
Port Stanley.....  
Falkland Island  
South Atlantic

Items received 7/10/75



**Department of Trade**  
**Marine Division**  
**Sunley House 90 High Holborn London WC1V 6LP**

Telex 264084 Answer back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext



The Chief Secretary  
 The Secretariat  
 Stanley  
 Falkland Islands  
 South Atlantic

Your reference CUS/32/3

Our reference MNA 37/1/04

Date 9 July 1975

Dear Sir

Please refer to your letter of 24 June and the attached letter dated 20 June from the Officer in Charge of the Cape Pembroke Lighthouse, concerning the request for the purchase of a deep freeze.

Before we can make a decision on this request we shall need more information. Could you prepare a report on the necessity for a deep freeze at the lighthouse, including details of any existing refrigeration equipment and its size and condition. If there is no such equipment at present could you please let me know how food is preserved and what change in conditions has prompted this request. Do the keepers purchase and transport their food to the lighthouse themselves or is it purchased for them and transported via the weekly relief. Is it necessary to have a deep freeze as opposed to a refrigerator in view of the timing of the relief trips.

One other important factor is the capacity of the existing power source to operate the refrigeration equipment without detriment to the other uses for which power is needed. Would you please ascertain that the electrical power at the lighthouse is sufficient to operate any extra equipment.

Yours faithfully

(D C Watts)

To me  
 5/15/7



16th July,

75

Our Ref: CUS/32/3

D.C. Watts, Esq.,  
Department of Trade,  
Marine Division,  
Sunley House,  
90 High Holborn,  
LONDON WC1V 6LP

Dear Sir,

Thank you for your letter of the 9th July, reference WNA 37/1/04, about a deep freeze at the Cape Pembroke Lighthouse. I shall arrange for this application to be backed up by a fully worked up case as you suggest.

Your letter is timely as I have only just recently paid a visit to the Lighthouse from which emerged rather more serious complaints than the shortage of a deep freeze. I am concerned about the fabric of the structure of the Lighthouse buildings. You are doubtless aware that they were erected in 1962 to replace an earlier wooden structure. The present building is of a prefabricated type with an outer sheet metal skin. This is now pitted in several places, particularly above the window frames. There could be fairly rapid deterioration if this is not attended to expertly. I am told that our local Superintendent of Public Works has looked at the building and has, in fact, tried to carry out some repair without success. Without being alarmist, it may well be that within the next few years you will have to plan for a completely new structure or at least for considerable repair.

Another important matter concerns the provision of an adequate water supply for the Lighthouse. I approached the building through quagmire, peat bog, lake and was virtually water borne for a great deal of the way. Despite this, on arrival, I was surprised to discover that the underground water tanks were being filled by the Public Works Department bowser which by a miracle had managed to reach the Lighthouse. It seems that the water catchment must therefore be inadequate. As you will doubtless know the water is collected from the roofs and runs first into a butt, which is using for drinking, and the over-flows then run into an underground tank.

I am no water engineer, but it seems to me that several solutions are possible. One might be to utilise salt water pumped up from the nearby shore and stored separately for flushing toilets. Another might be to sink a bore hole or even to increase the catchment area and/or to increase the storage capacity. Certainly within a few years if the "road" continues to deteriorate in the way it is at the moment, there could well be periods when the Lighthouse Keepers are seriously short of water.

The "road" to the Lighthouse is in fact a 7 mile meandering track over some of the most punishing country in the World. It has to be changed with every day to suit the amount of water lying and it is only because the present driver, Mr. Aldridge, knows the terrain so well that the Keepers reach the Lighthouse and are supplied. It could well be that when in the future we look for a replacement for Mr. Aldridge, it would be impossible to find one.

cont.....

D.C. Watts, Esq.

- 2 -

16th July, 1975

Another aspect that concerned me while I was at the Lighthouse was the inadequacy of the fire fighting arrangements, particularly as the equipment did not seem to have been inspected for many years. I have arranged to have this remedied.

I shall write to you again shortly about the deep freeze and its implications. I notice that you refer to the adequacy of the power supply. This will be looked into. It did occur to me, by the way, when I was out there that there is no back-up generator. Perhaps there should be.

Yours faithfully,

A.J.P. Monk  
Chief Secretary

780

SUBJECT Pat. Pat. ...  
(one only)

Station Pat. Pat. ...

District Pat. Pat. ...

Date ... 19 ...

Sir,

I beg to submit the following report:—

*Report by the post  
the following part*

*2 bottles containing part of ...  
1 bottle containing ...*

*Yours faithfully*

.....  
Officer in charge.

To the Secretary

N.B.—The original and duplicate will retain the Duplicate and forward to Trinity House, Tower Hill, London

.....District.

of this report are to be submitted to the Superintendent who will forward the Original under cover of an official letter to the Secretary, E.C.3.



# Department of Trade

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext 402

782

The Colonial Secretary  
Colonial Secretary's Office  
Port Stanley  
Falkland Islands  
South Atlantic

Your reference

Our reference MNA 37/1/04

Date 25 July 1975



Dear Sir

ORDER NOS: E650, E658 AND E612

Order No: E658 and the out-standing items on E612, PAZ1 spares from Petters Ltd, were despatched to you by Air Parcel post on 25 June 1975. Order No: E650,- Glazing compound from Expandite Ltd, was despatched by Sea Freight on the "Sonja Bewa" which was due in Port Stanley on 10 July 1975.

Please confirm whether all these orders have been received so that the necessary accounting action can take place.

Yours faithfully,

*P. J. Gaule*

P J Gaule

Room 5/9

CS

*Above items received with the exception of E650*

*Reply at 792*

DUPLICATESUBJECT Hand Reel  
(one only)Station Am. Pen. Station (C. 40)District Port of Spain, TrinidadDate 9<sup>th</sup> August 19 35

Sir,

I beg to submit the following report:—

Received the following  
in good condition.

24 tea caddies  
6 pistol cases  
6 ps shells  
2 work bags

2 G shells  
1 H "  
1 B "  
1 net  
1 brass bag  
2 brass casing  
1 air supply pipe

Yours faithfully

G. J. J. J.

Officer in charge.

To the Superintendent,

Port of Spain District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

CUS/32/3

784



Department of Trade

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Chief Secretary  
Secretariat  
Stanley  
Falkland Islands  
SOUTH ATLANTIC



Your reference

Our reference MNA 37/1/04

Date 11 September 1975

Dear Sir

PORT STANLEY LIGHTHOUSE

See 257 in CUS/32/1

On the 14 July 1975 I wrote to you regarding the maintenance of Port Stanley Lighthouse and the letter was signed, in my absence, by the Assistant Lighthouse Engineer, Mr L C Tucker.

In addition, Mr Tucker wrote to you on the 4 June 1975 requesting confirmation that the panes of glass ordered on Report No 36 would completely replenish the spares rack. To date no reply has been received to either of these letters and therefore I shall be glad if you will be kind enough to confirm that they have been received. No reply has been received either, to a letter addressed to the Colonial Secretary and dated 25 July 1975 signed by P J Gaule enquiring whether order no E650 had been received. This order was for Glazing Compound from Expandite Ltd and was shipped on the 'SONJA BEWA' which was due in Port Stanley on 10 July 1975. I am sorry to press you on this but delivery of overseas mail to other areas has become erratic and we are wondering if these letters to you have gone astray.

Yours faithfully

L. A. Turner

Reply at 289

L A Turner  
Lighthouse Engineer

\* 782 - ncu has been received.

To me on file.

CS (14th July letter was in CUS/32/1 but has been sent to SPW !!) He was meant to have a copy but he only received copy of memo. See 257 in CUS/32/1

DUPLICATE

SUBJECT .....  
(one only)

Station .....

District .....

Date ..... 19 75

Sir,

I beg to submit the following report :—

*Received the following  
in good condition.*

- 1 Set Lenses.
- 1 Set Lenses
- 1 Transformer
- 1 Rectifier

*Yours faithfully*

.....  
Officer in charge.

To the Superintendent,

..... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

DUPLICATE

SUBJECT.....  
(one only)

Station.....

District.....

Date ..... 1975

Sir,

I beg to submit the following report :—

*Residual in good condition  
the following oil.*

*10 drums diesel oil  
67 drums paraffin oil.*

*[Signature]*  
.....  
Officer in charge.

To the Superintendent,

..... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.



789

8th October,

75.

P J Gaule Esq.,  
Marino Division,  
Sunley House,  
90 High Holborn,  
London WC1V 6LP.

Dear Sir,

Please refer to your letters MWA 37/1/04 of 25 July 1975.

I very much regret the delay in replying to your letters.

See 792

The position is that all the items under orders E650, E658 and E612 with the exception of E650 have been received.

The panes of glass ordered on Report No. 36 are expected to arrive on the Anne Bewa due in the Falklands about the 14th of this month.

Yours faithfully,



(D R Morrison)  
for CHIEF SECRETARY

Reply at 791

SC

DUPLICATE

SUBJECT Patt. Engine Part  
(one only)

Station East London (M)

District Port of London

Date 11/12/25 1925

Sir,

I beg to submit the following report :—

Received in good condition the following spare parts for the Patent Engine No 1698 S.

- 2. 426 Springs
- 2. 322 nuts
- 1. 428 35 Drive
- 2. 272 58 gasket
- 2. 274 50 circlip
- 3. 273 54 stud
- 1. 271 100 Spring water and fuel pumps

Yours faithfully

[Signature]  
Officer in charge.

To the Superintendent,

[Signature] District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

SUBJECT \_\_\_\_\_  
(one only)

Station Trinity House, London

District London

Date Nov 7<sup>th</sup> 1935

Sir,

I beg to submit the following report:—

The Chief the  
P.W.D. mechanic was at the lighthouse  
on the 7<sup>th</sup> and 8<sup>th</sup> Octob. and cleaned the  
mercury bath and the I.O.B. system.  
The bath and system were found to be  
in fairly good condition.

Yours faithfully

C. J. R.

Officer in charge.

To the Superintendent,

\_\_\_\_\_ District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.

SW

CUS/32/3

795



Department of Trade

Marine Division

Sunley House 90 High Holborn London WC1V 6LP

Telex 264084 Answer Back MARBOT London

Telegrams Marbot London WC1

Telephone 01-405 6911 ext

The Chief Secretary  
Secretariat  
Stanley  
Falkland Islands  
South Atlantic.



Your reference CUS/32/3

Our reference MNA 37/1/04

Date 18 November 1975

Dear Sir

785

PORT STANLEY LIGHTHOUSE

Thank you for your letter dated 3 October 1975, stating that after consultation with the Superintendent of Works and the Lighthouse Keeper you hoped to let me have a reply within a week or two to my letter of 14 July 1975. This concerned the Maintenance of Port Stanley Lighthouse and I referred also to Mr Tucker's letter of 4 June 1975 enquiring whether the latest consignment of glass panes completely replenished the stores spares rack. I shall be glad to hear whether you are now able to deal with these queries.

787

Yours faithfully

*L. A. Turner*

L A TURNER  
Lighthouse Engineer

received - see minute 31.

*26/11*  
*12/12*

22nd December, 1975

Dear Sir,

Please refer to your letter of the 9th July, 1975, regarding the request to purchase a deep freeze for Cape Pembroke Lighthouse.

I feel it is absolutely essential for the Lighthouse to have a deep-freeze. At the moment there is no refrigerator equipment at all. The Keepers purchase their food and it is transported by the weekly relief. Where meats are concerned this has caused many problems for the Keepers to try and keep it fresh and now with the availability of deep-freezes in the Colony the Principal Keeper feels that it would solve their problem.

The Keepers own a few cattle and at the moment when killed for beef the carcass must be transported to Stanley some 7 miles away. This is very inconvenient and if a deep-freeze, as opposed to a refrigerator, is approved the keepers would be able to always have fresh meat at the Lighthouse.

The Principal Keeper informs me that the electrical power at the Lighthouse is sufficient to operate a deep-freeze.

Yours faithfully,



Harbour Master

for CHIEF SECRETARY

D.C. Watta Esq.,  
Department of Trade,  
Marine Division,  
Sunley House,  
90 High Holborn,  
LONDON WC1V 6LP

Reply at- ①  
in CUS/32/3/ver 2.

LJR/JEA

Our CUS/32/3

Your Ref. MNA 37/1/04


22nd Dec

Dear Sir,

Cape Pembroke Lighthouse

Thank you for your letter of 18th November, 1975. I am informed by the Principal Keeper of the lighthouse that the latest consignment of glass panes completely replenishes the stores spares rack.

Yours faithfully.



Harbour Master  
for CHIEF SECRETARY

L.A. Turner Esq.,  
Department of Trade,  
Marine Division,  
Sunley House,  
90 High Holborn,  
London WC1V6LP

LJH/JEA

DUPLICATE

SUBJECT         
(one only)

Station       

District       

Date        19       

Sir,

I beg to submit the following report :—

*Handwritten report text, mostly illegible due to fading.*

*Yours faithfully,*

.....  
Officer in charge.

To the Superintendent,

..... District.

N.B.—The original and duplicate of this report are to be submitted to the Superintendent who will retain the Duplicate and forward the Original under cover of an official letter to the Secretary, Trinity House, Tower Hill, London, E.C.3.